























Spojnice Sensys

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
1. HE9071205	Sensys 8645i spojnica ravna s ublaživačem 110°, klik	kom.	19,41	24,26	19,41	2,58	
2. HE9071259	Sensys 8645i spojnica ravna bez ublaživača 110°, klik	kom.	17,06	21,33	17,06	2,26	
3. HE9071206	Sensys 8645i spojnica polukriva s ublaživačem 110°, klik	kom.	22,73	28,41	22,73	3,02	
4. HE9071260	Sensys 8645i spojnica polukriva bez ublaživača 110°, klik	kom.	18,02	22,53	18,02	2,39	
5. HE9071207	Sensys 8645i spojnica kriva s ublaživačem 110°, klik	kom.	23,69	29,61	23,69	3,14	
6. HE9071261	Sensys 8645i spojnica kriva bez ublaživača 110°, klik	kom.	18,93	23,66	18,93	2,51	
7. HE9088019	Sensys spojnica 8639i TH 52, kut 45°, klik, kut otvaranja 95°	kom.	51,72	64,65		6,86	
8. HE9088021	Sensys 8639i paralelna spojnica 90°/95°, s ublaživačem, klik	kom.	62,09	78,20		8,24	
9. HE9091400	Sensys spojnica 8631i ravna s integriranim ublaživačem, 95°, za deb.15-32mm, TH 52x5.5 mm	kom.	31,77	39,71		4,22	
10. HE9091490	Sensys spojnica 8631 ravna bez integriranog ublaživača, 95°, za deb.15-32mm, TH 52x5.5mm	kom.	19,53	24,41		2,59	
11. HE9091500	Sensys spojnica 8631 polukriva bez integriranog ublaživača, 95°, za deb.15-32mm, TH 52x5.5 mm	kom.	20,91	26,14		2,78	
12. HE9091510	Sensys spojnica 8631 kriva bez integriranog ublaživača, 95°, za deb.15-32mm, TH 52x5.5 mm	kom.	22,42	28,03		2,98	
13. HE9090109	Intermat spojnica 9930 sa Sensys čašicom za dupla vrata 50°/65	kom.	37,86	47,32		5,02	
14. HE9094270	Sensys 8646i spojnica ravna 110° s ublaživačem, za deb.10-16mm	kom.	29,11	36,39		3,86	
15. HE9094360	Sensys 8646i spojnica ravna 110° bez ublaživača, za deb.10-16mm	kom.	23,93	29,91		3,18	
16. HE9094280	Sensys 8646i spojnica polukriva 110° s ublaživačem, za deb.10-16mm	kom.	30,68	38,35		4,07	
17. HE9094370	Sensys 8646i spojnica polukriva 110° bez ublaživača, za deb.10-16mm	kom.	25,62	32,02		3,40	

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
18. HE9094290	Sensys 8646i spojnica kriva 110° s ublaživačem, za deb. 10-16mm	kom.	44,66	55,83		5,93	
19. HE9094380	Sensys 8646i spojnica kriva 110° bez ublaživača, za deb. 10-16mm	kom.	27,49	34,36		3,65	
20. HE9094450	Sensys 8646i spojnica ravna 110° Push to open, za deb. 10-16mm	kom.	23,93	29,91		3,18	
21. HE9099540	Sensys 8657i spojnica ravna 165° s integr. ublaživačem, klik	kom.	51,54	64,42		6,84	
22. HE9099600	Sensys 8657i spojnica ravna 165° bez integriranog ublaživača, klik	kom.	33,99	42,49		4,51	
23. HE9099660	Sensys 8657i spojnica ravna 165° bez integriranog ublaživača, bez opruge	kom.	33,99	42,49		4,51	
24. HE9099550	Sensys 8657i spojnica polukriva 165° s integriranim ublaživačem, klik	kom.	47,38	59,22		6,29	
25. HE9099610	Sensys 8657i spojnica polukriva 165° bez integriranog ublaživača, klik	kom.	39,60	49,50		5,26	
26. HE9099750	Intermat 8657 spojnica ravna 165°, klik	kom.	34,48	43,10		4,58	
27. HE9091738	Sensys 8645i spojnica ravna s integriranim ublaživačem 110°, crna	kom.	35,32	44,15		4,69	
28. HE9091741	Sensys 8645i spojnica ravna bez integriranog ublaživača 110°, crna	kom.	21,16	26,45		2,81	
29. HE9091739	Sensys 8645i spojnica polukriva s integriranim ublaživačem 110°, crna	kom.	37,37	46,71		4,96	
30. HE9091740	Sensys 8645i spojnica kriva s integriranim ublaživačem 110°, crna	kom.	39,54	49,43		5,25	
31. HE9091766	Sensys 8676 spojnica kriva bez integriranog ublaživača i bez opruge 10-19mm 110°	kom.	31,58	39,48		4,19	
32. HE9091767	Sensys 8657i spojnica ravna 165° s integriranim ublaživačem, crna	kom.	61,84	77,30		8,21	
33. HE9091744	Sensys spojnica za aluminijski okvir s integriranim ublaživačem 8638i, ravna, kut otvaranja 95°, na vijak, crna	kom.	57,50	71,88		7,63	



Spojnice Novisys



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
HE9313100	Novisys 8848i spojnica RAVNA s integrir. ublaž. 105° deb. 14-24mm TH 52x5.5mm	kom.	13,41	16,76		1,78	
HE9313110	Novisys 8848i spojnica POLUKRIVA s integrir. ublaž. 105° deb. 14-24mm TH 52x5.5mm	kom.	16,05	20,06		2,13	
HE9313120	Novisys 8848i spojnica KRIVA s integrir. ublaž. 105°, deb. 14-24mm TH 52x5.5mm	kom.	16,80	21,00		2,23	













Spojnice Veosys

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
HE9289590	Veosys spojnica RAVNA s integrir. ublaž. 105° deb. 14-22mm TH 52x5.5mm	kom.	26,45	33,06		3,51	
HE9289592	Veosys spojnica POLUKRIVA s integrir. ublaž. 105° deb. 14-22mm TH 52x5.5mm	kom.	27,88	34,85		3,70	
HE9289595	Veosys spojnica KRIVA s integrir. ublaž. 105° deb. 14-22mm TH 52x5.5mm	kom.	29,16	36,45		3,87	
HE9289598	Podložna pločica H=0 za Veosys	kom.	3,39	4,24		0,45	
HE9289609	Podložna pločica H=2 za Veosys	kom.	3,77	4,71		0,50	
HE9289610	Pravokutna pokrovna kapa Veosys spojnice s Hettich logom	kom.	2,03	2,54		0,27	


Spojnice Intermat

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
34. HE0048049	AKC.Intermat 9943 spojnica ravna 110°, klik	kom.	7,35	9,19	7,35	0,98	
35. HE0048051	Intermat 9943 spojnica polukriva 110°, klik	kom.	8,98	11,23		1,19	


ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
36. HE0048052	Intermat 9943 spojnica kriva 110°, klik	kom.	9,94	12,43		1,32	
37. HE0048096	Intermat 9936 spojnica s kutem otvaranja 45°/95°, klik	kom.	34,06	42,57		4,52	
38. HE0077643	Intermat 9944 spojnica s kutem otvaranja -45°/125°, klik	kom.	34,06	42,57		4,52	
39. HE0077690	Intermat 9936 spojnica s kutem otvaranja 30°/95°, klik	kom.	34,06	42,57		4,52	
40. HE0077708	Intermat 9936 paralelna spojnica 90°/95°, klik	kom.	34,06	42,57		4,52	
41. HE0073913	Intermat spojnica 9936 za deb. fronte 14-32mm, ravna, klik	kom.	23,02	28,78		3,06	
42. HE0073925	Intermat 9935 TH22 za deblj. mat. 43mm, ravna, klik	kom.	40,02	50,03		5,31	
43. HE0073926	Intermat 9935 TH22 za deblj. mat. 43mm, polukriva, klik	kom.	42,92	53,65		5,70	
44. HE0045036	Intermat 9930, spojnica za dupla vrata 50°/65°, klik	kom.	40,57	50,71		5,38	
45. HE9043361	Intermat 9973 TH42 spojnica ravna 110°, bez opruge	kom.	14,58	18,23		1,94	
46. HE9043362	Intermat 9973 TH42 spojnica polukriva 110°, bez opruge	kom.	17,00	21,25		2,26	

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR	
47. HE9043363	Intermat 9973 TH42 spojnica kriva 110°, bez opruge	kom.	10,55	13,19		1,40	
48. HE9044841	Intermat spojnica W90 bez opruge, Intermat 9966, kut otvaranja 95°, TH 52x5,5 mm	kom.	33,27	41,59		4,42	
49. HE0072960	Intermat 9904 spojnica ravna za staklena vrata, fi26mm, 95°, klik	kom.	25,62	32,02		3,40	
50. HE0072967	Intermat 9904 spojnica polukriva za staklena vrata, fi26mm, 95°, klik	kom.	27,49	34,36		3,65	
51. HE0072968	Intermat 9904 spojnica kriva za staklena vrata, fi26mm, 95°, klik	kom.	29,30	36,62		3,89	
52. HE0040341	Pokrovna kapica krom okrugla za pant za staklo	kom.	16,64	20,80		2,21	
53. HE0040495	Pokrovna kapica krom poluokrugla za pant za staklo	kom.	16,64	20,80		2,21	
54. HE0070712	Pokrovna kapica nikl mat okrugla za pant za staklo	kom.	19,05	23,81		2,53	
55. HE0070713	Pokrovna kapica nikl mat poluokrugla za pant za staklo	kom.	22,36	27,95		2,97	
Spojnice Selekra pro							
56. HE0045045	Selekra pro 2000 osnovna spojnica 19/19mm, prekrivanje 16mm	kom.	32,49	40,61		4,31	
57. HE0045048	Selekra pro 2000 osnovna spojnica 19/19mm, prekrivanje 6.5mm	kom.	61,84	77,30		8,21	
58. HE0045064	Selekra Pro 2000E osnovna spojnica za unutarnja vrata	kom.	61,84	77,30		8,21	

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
59. HE0045066	Selektra Pro 2000 osnovna spojnica T22	kom.	61,84	77,30		8,21



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
60. HE0077736	Selektra Pro 2000E čašica spojnice T22	kom.	6,51	8,14		0,86




ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
61. HE0072134	Spojnica pločica 95° ET 582 (za vrata ugradbenih hladnjaka)	kom.	43,52	54,40		5,78



Spojnice Slide on


ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
62. HE1078660	Spojnica slide on 95° ravna	kom.	3,26	4,07		0,43



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
63. HE1078661	Spojnica slide on 95° polukriva	kom.	3,43	4,29		0,46



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
64. HE1078662	Spojnica slide on 95° kriva	kom.	3,62	4,52		0,48




ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
65. HE1071605	AKC.Podložna pločica Intermat H=0mm	kom.	1,69	2,11	1,69	0,22




ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
66. HE1071606	AKC.Podložna pločica Intermat H=1,5mm	kom.	1,69	2,11	1,69	0,22




ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
67. HE1071607	AKC.Podložna pločica Intermat H=3mm	kom.	1,87	2,34	1,87	0,25



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
68. HE0072986	Podložna pločica Intermat H=5mm	kom.	4,34	5,42		0,58



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
69. HE1071625	AKC.Podložna pločica s Euro vijkom Intermat H=0mm	kom.	2,47	3,09	2,47	0,33



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
70. HE1071626	AKC.Podložna pločica s Euro vijkom Intermat H=1,5mm	kom.	2,11	2,64	2,11	0,28
71. HE9071575	AKC.Podložna pločica H=0 za Sensys i Intermat	kom.	2,17	2,71	2,17	0,29
72. HE9071576	AKC.Podložna pločica H=1,5 za Sensys i Intermat	kom.	2,90	3,62	2,90	0,38
HE9071577	AKC.Podložna pločica H=3 za Sensys i Intermat	kom.	3,38	4,22	3,38	0,45
73. HE9071595	AKC.Podložna pločica H=0 s ugrađenim vijcima i tiplama, za Sensys i Intermat	kom.	3,43	4,29	3,43	0,46
74. HE9071625	AKC.Podložna pločica H=0 s Euro vijcima za Sensys i Intermat	kom.	2,90	3,62	2,90	0,38
75. HE9071626	AKC.Podložna pločica H=1,5 s Euro vijcima za Sensys i Intermat	kom.	3,14	3,92	3,14	0,42
76. HE9071627	AKC.Podložna pločica H=3 s Euro vijcima, za Sensys i Intermat	kom.	3,38	4,22	3,38	0,45
77. HE9071655	AKC.Podložna pločica H=0, s unaprijed ugrađenim vijcima i plastičnim tiplama	kom.	6,93	8,66	6,93	0,92
78. HE9071665	AKC.Podložna pločica H=0 s Exc. i Euro vijkom za Sensys i Intermat	kom.	6,93	8,66	6,93	0,92



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
79. HE9071666	AKC.Podložna pločica H=1,5 s Exc. i Euro vijkom za Sensys i Intermat	kom.	7,18	8,97	7,18	0,95



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
80. HE9075008	AKC.Podložna pločica H=5 za Sensys i Intermat	kom.	2,78	3,47	2,78	0,37



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
81. HE9091799	Podložna pločica ravna sa euro vijkom H=0, CRNA	kom.	2,78	3,47		0,37



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
82. HE9091800	AKC.Podložna pločica H=1.5 mm s Euro vijcima, za Sensys i Intermat, CRNA	kom.	3,74	4,67	3,74	0,50



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
83. HE9091803	Podložna pločica ravna sa ekscentrom H=0 crna	kom.	8,92	11,15		1,18



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
84. HE9091805	Podložna pločica ravna sa euro vijkom H=3 crna	kom.	9,52	11,90		1,26



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
85. HE9091815	Podložna pločica ravna H=0,5 crna	kom.	6,21	7,76		0,82
86. HE9091816	Podložna pločica ravna H=3 crna	kom.	6,45	8,06		0,86
87. HE9117341	Podložna pločica ravna H=1,5 za Sensys i Intermat	kom.	8,80	11,00		1,17
88. HE1079199	Podložna pločica SlideOn H=3mm	kom.	1,50	1,88		0,20
89. HE1079212	Podložna pločica s vijcima i tiplom SlideOn H=5mm	kom.	3,68	4,60		0,49
90. HE1079221	Podložna pločica s eurovijkom SlideOn H=0mm	kom.	3,19	3,99		0,42
91. HE1079222	Podložna pločica s eurovijkom SlideOn H=1,5mm	kom.	1,93	2,41		0,26
92. HE0060576	SilentSystem usporivač za naticanje na ravnu spojnicu	kom.	32,49	40,61		4,31
93. HE0060577	SilentSystem usporivač za naticanje na polukrivu spojnicu	kom.	36,89	46,11		4,90
94. HE0060578	SilentSystem usporivač za naticanje na polukrivu spojnicu	kom.	38,64	48,30		5,13
95. HE9084643	Silent System ublaživač za Sensys/Intermat 165°	kom.	23,21	29,01		3,08



ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
96. HE9040835	Limitator kuta za Intermat spojnicu 9943 od 110° na 85°	kom.	0,72	0,90		0,10
						
97. HE9072540	Limitator kuta za Sensys spojnicu, 110° na 85°	kom.	0,72	0,90		0,10
						
98. HE9090756	Blokada kuta Sensys spojnice 8657, 165°/105°	kom.	1,45	1,81		0,19
						
99. HE9090864	Blokada kuta Sensys spojnice 8657, 165°/90°	kom.	1,45	1,81		0,19
						
100. HE9072533	Adapter kutni za podložnu pločicu H=5mm	kom.	7,35	9,19		0,98
						
101. HE9072534	Adapter kutni za podložnu pločicu H=10mm	kom.	8,32	10,40		1,10
						
102. HE9072535	Adapter kutni za podložnu pločicu H=15mm	kom.	9,82	12,28		1,30
						
103. HE9072536	Adapter kutni za podložnu pločicu H=20mm	kom.	10,30	12,88		1,37
						
104. HE9072537	Adapter ravni za podložnu pločicu H=8mm	kom.	8,98	11,23		1,19
						
105. HE9082614	Pokrovna kapa čašice spojnice TH52/TH53	kom.	1,45	1,81		0,19
						

ŠIFRA	OPIS	J.MJ.	VPC	MPC	AKC MP.	VPC EUR
106. HE9082774	Pravokutna pokrovna kapa spojnice s Hettich logom	kom.	0,97	1,21		0,13
107. HE9091820	Pokrovna kapica bez Hettich loga za spojnicu Sensys, crna	kom.	1,33	1,66		0,18
108. HE9091821	Pokrovna kapica sa Hettich logom za spojnicu Sensys, crna	kom.	1,33	1,66		0,18
109. HE9091822	Pokrovna kapa čašice spojnice TH / TS, crna	kom.	2,59	3,24		0,34
110. HE9089591	Izbacivač fronte Push to open Magnet, na vijak, dugi, bijeli	kom.	42,31	52,89		5,62
111. HE9089602	Izbacivač za vrata s gumom, za ubušiti, kratki, sivi	kom.	29,66	37,07		3,94
112. HE9089603	Izbacivač za vrata s gumom, za ubušiti, dugi, sivi	kom.	32,79	40,99		4,35
113. HE9089605	Izbacivač fronti, dugi magnetni, sivi, na vijak	kom.	42,31	52,89		5,62
114. HE9089611	Izbacivač fronte Push to open Strong, na vijak, dugi, sivi	kom.	39,30	49,12		5,22
115. HE9089630	Izbacivač fronte Push to open Magnet, na vijak, dugi, antracit	kom.	42,31	52,89		5,62
116. HE9090869	Pločica za Push to open Magnet, na vijak ili ljepljenje	kom.	3,86	4,82		0,51

